

Environmental management system and quality system improve quality and reliability



DNV (Det Norske Veritas) granted ISO 9001:2001 quality system certificate and ISO 14001:2004 environmental management system certificate to Taerosol Ltd 15th of April 2005. The certificates cover the manufacturing, developing and selling of technical aerosols.

ISO 9001 quality system

The purpose of the quality system is to maintain and improve the internal operations of the company. The certification of the quality system is based on the handbook drawn up by the company and the applied standard.

ISO 14001 environmental management system

The environmental management system is included in the company's quality system. The main objective of the environmental policy is to study, monitor and reduce the environmental impact of the business operations systematically and continuously.

Operational policy of Taerosol Ltd

Our central goal in Taerosol Ltd is high customer satisfaction, which we achieve by high quality of operations and products and fast and reliable delivery times. We want to be known as a high-

quality aerosol manufacturer and deliverer both domestically and internationally.

In addition to the customers our employees are also important to us. Creating a safer working environment by e.g. choosing the chemicals and abiding by the law we simultaneously improve job satisfaction. We improve the safety of our products by continuous product development, which is an essential part of our operations. We aim to make our products more and more user and environmentally friendly.

When setting the goals we acknowledge our employees as an essential part of the whole operation and its development. Achieving the goals calls for the commitment of all employees.

The contents of the handbook and the obedience of its instructions are evaluated by regular internal controls. The development team's inspection also includes the assessment of the operational policy and its suitability for our organisation. The operational policy is the basis of our goals and alterations are made if needed.



The resistance of each can is tested in a water bath of 50° C.

NEW!

PRF® TEFLUBE
NEW PACKAGE SIZE 85 ml



High-quality Teflon oil.* Well penetrating, high-quality general purpose lubricant for different targets. Size: 85 ml. Other sizes: 220 ml and 520 ml.

The operating life of the bread cooling spirals' chain was considerably prolonged when Leivon Leipomo started to use PRF Teflube for lubricating.



* Teflon is a registered trademark of Du Pont.

Our aerosol dont destroy ozone

All Taerosol's aerosols are manufactured from ingredients that are harmless to the ozone of the atmosphere. We don't use CFC-compounds in our aerosol production.



You will find more information on ozone and the importance of ozone layer from our website www.taerosol.com



TECHNOCHEMICAL PRODUCTS SINCE 1968

Taerosol Ltd manufactures technical aerosols and other technochemical products for electronics sector and industry. Taerosol's goal is to have a vast selection of high-quality products and excellent service, meeting the client's needs in a best possible way.

taerosol



Aakkulantie 21
FI-36220 Kangasala
Tel. +358 3 356 5600
Fax +358 3 356 5656

ISO 9001:2001
ISO 14001:2004



Anti Spatter estää hitsausroiskeiden tarttumisen työkappaleeseen ja hitsaussuuttimiin.

Domestic sales

Hannu Perko

Tel +358 3 356 5612
Mobile +358 400 636 009
hannu.perko@taerosol.com

International sales

Matti Kytölä

Tel. +358 3 356 5616
Mobile +358 400 638 717
matti.kytola@taerosol.com

Technical support

Tarmo Dahlman

Tel. +358 3 356 5622
Mobile +358 40 5566 788
tarmo.dahlman@taerosol.com

Fast deliveries:

Place your order before noon 12.00
→ shipment will leave the factory
the same day!



is a registered trademark of
Taerosol Oy Ltd. Finland

**Safety data sheets
are available at
www.taerosol.com**

**Read more about recycling
aerosols at www.mepak.fi**



Good experiences of PRF Anti Spatter usage in Estonia

Energoremont is one of the most significant companies in the metal field in Estonia. Their turnover is over 230 million EEK. Energoremont designs, maintains and repairs different kinds of containers, turbines, filters, pumps, valves, pipeworks and vessels. The company also has a control laboratory of its own for metal and welding fields.

Energoremont uses PRF Anti Spatter in the welding in order to prevent the spatter from sticking and to keep the welding tips cleaner. PRF

Anti Spatter is also used in extremely various conditions of the companies clientele. Experience has proved that the spray works flawlessly and effectively speeding the different phases of welding. Energoremont has ISO quality standard certification and its customers include various international companies such as ALSTOM Finland Ltd, Foster Wheeler Ltd, Kvaerner Power Ltd, Andritz Ltd, YIT Industria Ltd and Raumaster Ltd.



PRF-aerosols for technical use



- **101 COLD SPRAY**

Non-flammable quick coolant to discover the source of electronic and mechanical faults. Effectively cools down to -55°C. Package sizes 220 ml, 520 ml.

- **202 PLASTIC SPRAY**

Provides fast drying clear enamel coating with some insulating capability. Size: 220 ml.

- **2-22 ELECTROSOL**

Antistatic cleaning foam for cleaning TV-sets, computers and VCR's. Size: 220 ml.

- **290 TURBO OIL**

Special refined oil for lubricating and protecting against rust and corrosion. Size: 220 ml.

- **301 SILICON SPRAY**

A colorless combination cleaner, protective coating and lubricant. Coating withstands temperature extremes from -40°C to 315°C. Sizes: 220 ml, 520 ml.

- **4-48 VIDEO KONTAKT**

Special spray for cleaning of magnetic heads of audio and video recorders. Size: 220 ml.

- **4-44 AIR DUSTER**

Non-flammable powerful blower to remove dust and loose dirt.. Sizes: 335 ml, 520 ml.

- **5-99 MULTI SPRAY**

Universal lubricant and protective coating. Sizes: 220 ml, 520 ml.

- **6-68 KONTAKT**

Contact cleaner, removes all kind of rosin flux, oxide, sulfide, dirt and oil. Size: 220 ml.

- **7-78 KONTAKT**

Formulated especially for sensitive devices. Size: 220 ml.

- **8-88 ANTISTATIC SPRAY**

Prevents dust attracting static charge built-up. Suitable for wood, metal, plastic and electrical appliances. Size: 220 ml.

- **AIR GLASS GLASS CLEANER**

Active cleaner for cleaning of smooth surfaces like glass, plastic and paint coatings. Sizes: 220 ml, 520 ml.

- **BOOSTER CLEANING FOAM**

Powerful cleaning foam with many uses. Removes dust and grease from glass, wood, metal, etc. Size: 520 ml.

- **HFE PRECISION CLEANER**

Non-flammable, oil free precision cleaner. Extremely clean, non-flammable cleaner for electronic components. Size: 220 ml.

- **IPA KONTAKT**

All-round cleaner for electronics. Pure isopropanol, which removes dirt, oil, grease and resin from printed circuits, magnet heads as well as from the parts of fine mechanics and optics. Size: 220 ml.

- **LABEL OFF CITRUS CLEANER**

Efficient lemon-scented label remover. Label Off is an easy-to-use cleaner for removing stickers, labels, glue residue, oil, grease and other stains. Size: 220 ml.

- **TCC CONTACT CLEANER**

For removal of oil, grease, dust, dirt, resins, and light oxidations. Evaporates completely, leaving a clean, dry surface. Size: 520 ml.

- **LAP TOP**

Antistatic cleaner of flat screens. Especially designed for cleaning flat TFT, LCD and Plasma screens. Spray directly to the screen and wipe with soft paper or towel. Size: 85 ml.

PRF-aerosols for industrial use



• ALUBRIGHT

Light, clear galvanizing agent. Fast drying, aluminium coloured zinc coating gives an excellent corrosion protection to ferrous metals. Size: 520 ml.

• HEAVYZINK

Grey cold galvanizing agent. Fast drying, grey, well covering zinc coating gives an excellent corrosion protection to ferrous metals. Size: 520 ml.

• FOOD GRADE OIL

Synthetic lubricating oil for food industry. Odourless and tasteless lubricating and protecting oil developed for food and brewing industries. Size: 520 ml.

• FOOD GRADE GREASE

Synthetic grease for food industry. Developed for grease lubrication in food and brewing industries, where grease may occasionally get in contact with foodstuff. Size: 520 ml.

• TEFSOL

Dry lubricant. Dry lubricant for targets where stainless lubrication is needed. Size: 520 ml.

• TEFLUBE

High-quality Teflon oil.* Well penetrating, high-quality general purpose lubricant for different targets. Sizes: 85 ml, 200 ml, 520 ml.

*) Teflon is a trademark registered by Du Pont.

• PENETRATING OIL

Penetrating oil containing MoS_2 . Loosens and lubricates rusted and stuck metal parts. Size: 520 ml.

• INDUFETT MoS_2

Special grease for industrial use. Special grease for lubricating uncovered gearwheels and other unprotected and weight-loaded machine parts in difficult operating conditions. Size: 520 ml.

• INSTALL HD MoS_2

Installation lubricant. Excellent lubricant for assembling machines and equipment. Size: 520 ml.

• BAJOL

High-viscosity vaseline spray. Synthetic lubricant with excellent adhesive ability for demanding lubrication. Size: 520 ml.

• TERVASPRAY

Authentic wood tar. Effective corrosion and sticking protection for threads and screw couplings. Size: 520 ml.

• BELT SPRAY

Friction spray. Effective anti-slip agent for V-belts and other slippery surfaces. Size: 520 ml.

• ANTI SPATTER

Prevents welding spatter from sticking. Prevents welding spatter from sticking to workpiece and welding tips. Size: 520 ml.

• CUTTING OIL

Cutting oil. Effective and economic cutting oil for processing metal. Size: 520 ml.

• SILICON OIL

Colourless general purpose lubricant and protective agent. Suitable for different targets where colourless lubricant is needed. Size 520 ml.

• MULTI FLUID

Lubricant and protective agent. Thin, well-penetrating general purpose lubricant and protective agent against corrosion. Size: 520 ml.

• COVER FLUID

Grease-like lubricating protective agent. Penetrating general purpose protective agent against corrosion. Size: 520 ml.

• COVER WAX

Waxy protective agent. Waxy, elastic, moisture displacing protection agent against corrosion. Size: 520 ml.

• PERFECT

Non-foaming glass cleaner. Effective, fully evaporating glass cleaner that doesn't leave a coat. Size: 520 ml.

• DEGREASER

Cleaning and degreasing agent. Effective, fast evaporating cleaning agent that leaves a greaseless, clean, dry surface. Size 520 ml.

• STRIPPER

Seal residue remover. Effectively removes seal residue, paint, varnish and glue from metal surfaces. Size: 520 ml.

• LEAK TESTER

Leak detector. Detects leaks fast and effectively from pneumatic, hydraulic and gas systems. Size: 335 ml.

• HAND CARE

Hand protection foam. Used for protecting skin from different chemicals such as oil, printing ink, paint, soot etc. Size: 335 ml.

• BUTANGAS

Refill cylinder for gas pistols. Gas for refilling gas pistols. Size: 335 ml.

Reseller: